

Kód:	Popis:	MOC bez DPH:	MOC s DPH:
HS-600	NOVINKA	48 130,00 Kč	57 756,00 Kč
SE-2800	NOVINKA	48 130,00 Kč	57 756,00 Kč
SE-500	4 input Y/C (S-Video), Cvbs Vision Mixer / Switcher. Cvbs, and selectable Y/C or YUV output. RS-232/ Midi Control. Unique Quad and Preview Output display on a single	17 808,00 Kč	21 370,00 Kč
HS-500	A Compact, one box solution designed with no compromise in performance for use where weight matters. Y/C & Cvbs I/O with additional YUV output. Features	39 217,00 Kč	47 060,00 Kč
HS-550	The HS-550 is a fully integrated solution housed in a stylish and light aluminium carrying case for easy and secure transport and storage.	75 760,00 Kč	90 912,00 Kč
MS-500	MVS designed around the SE-500 4-channel vision switcher, fully integrated with ITC-100 talkback/ intercom system, TLM-702 dual monitors for displaying SE-500's unique quad preview and main output.	87 347,00 Kč	104 816,00 Kč
G07692150202	Tally Connection cable for SE-500 to ITC-100	160,00 Kč	192,00 Kč
RMC-120	IP / Internet control box for SE-800/AV (RS-232 control software free download) Provides remote control mixes, cuts etc. via PC interface	5 330,00 Kč	6 396,00 Kč
RMC-140	Next Source / Preview Output box for SE-800/ SE-800AV (selectable Quad, PIP, POP or Next) Also provides 15 pin and 4x 3.5mm tally light outputs. Supplied with 4x TD	7 576,00 Kč	9 091,00 Kč
RMC-150	IP / Internet control box for SE-500 with RS-232 control software.	5 080,00 Kč	6 096,00 Kč
TB-5	Tally controlbox for use icw. SE-500 or RMC-90. Contains also: 4x TD-1 Tally light, 4x CB-7 1.2m tally cable, 1x 15P sub-d cable (male-female)	3 013,00 Kč	3 616,00 Kč
SE-800	JÍŽ SE NEVYRÁBÍ	0,00 Kč	0,00 Kč
HS-800-A	Lighter and smaller version of the MS-800 including wheels/ dolly for extra mobility. SE-800 DV switcher, fully integrated with ITC-100 talkback/ intercom system.	240 649,00 Kč	288 779,00 Kč
HS-800-B	Lighter and smaller version of the MS-800 including wheels/ dolly for extra mobility. As HS-800-A but without DN-500	213 910,00 Kč	256 692,00 Kč
HS-800-C	Lighter and smaller version of the MS-800 including wheels/ dolly for extra mobility. As HS-800-A but without DN-500	209 454,00 Kč	251 345,00 Kč
SE-800DVI	DV Input board for SE-800AV.(NW721) (up to 4 can be added). (Std on SE-800)	4 795,00 Kč	5 754,00 Kč
SE-800DVO	DV Output board for SE-800AV (Std. on SE-800)	8 022,00 Kč	9 626,00 Kč
SE-900	SE-900 Master Control Unit (4U) + Keyboard Control Panel Multi Image preview card CV, YUV, S-video (Y/C) DV output	84 673,00 Kč	101 608,00 Kč
SE-900-SDI	SDI Input board for SE-900	8 289,00 Kč	9 947,00 Kč
SE-900-DV25	DV25 input board for SE-900	7 487,00 Kč	8 984,00 Kč
SE-900-YUV	YUV / YC / CV input board for SE-900	5 793,00 Kč	6 952,00 Kč
SE-900-SDI-OUT	SDI Output board for SE-900	5 793,00 Kč	6 952,00 Kč

Kód:	Popis:	MOC bez DPH:	MOC s DPH:
SE-900-DVK	Chromakeyboard for SE-900	35 652,00 Kč	42 782,00 Kč
SE-900-DVI	DVI board for SE-900	6 685,00 Kč	8 022,00 Kč
SE-900-GLK	GENLOCK board for SE-900 Timing adjustment: 0.14nSec(1/256 clock) to 1 frame	6 685,00 Kč	8 022,00 Kč
SE-900-MVB	DVI-D Multi Preview board - optional - for upgrade SE-900 (Res. 1920x1080P!)	10 143,00 Kč	12 172,00 Kč
MS-900	Mobile Video Studio designed around the SE-900 vision switcher, requires choice of I/O boards	222 823,00 Kč	267 388,00 Kč
MS-900C	Fully integrated SE-900 switcher (barbone switcher - requires your choice of I/O boards)	247 779,00 Kč	297 335,00 Kč
SE-2000	Mobile Video Studio designed around the SE-900 vision switcher, requires choice of I/O boards	71 125,00 Kč	85 350,00 Kč
SE-2000	SE-2000 HD-SDI Digital Video switcher. Full HD 1080i & 720P Featuring 6 inputs. (4 HD-SDI and 2 DV-I). Max. number of active inputs: 5.	142 429,00 Kč	170 915,00 Kč
HS-2000	Hand carry system designed arround SE-2000 HD-SDI Digital Video switcher. Featuring 6 inputs. (4 HD-SDI and 2 DV-I). Max. number of active inputs: 5.	176 476,00 Kč	211 771,00 Kč
SE-3000UP	SE-3000 8x HD-SDI Upgrade for SE3000 8 in version	374 343,00 Kč	449 212,00 Kč
SE-3000M16	SE-3000 MAIN UNIT 16 HD/SD-SDI	231 736,00 Kč	278 083,00 Kč
SE-3000M8	SE-3000 MAIN UNIT 8 HD/SD-SDI	8 971,00 Kč	10 765,00 Kč
DN-60	HD/HDV/DV Format-CF Card solid state Recorder Removeable CF card (Not included), but normal CF Card with 133X is fine. File support includes AVI,MOV,MXF-OP1A and M2T format. Quicktime	717,00 Kč	860,00 Kč
BH-07	Držák s kulovou hlavu pro DN-60		
DN-200D	DN-200 HD/SD HDD recorder. For 2,5 inch 320 GB HDD. (HDD included) Cvbs and stereo audio input. IEEE1394 signal supports DV, HDV, DVCpro25 Time code input	22 193,00 Kč	26 632,00 Kč
DN-400	DN-400 harddrive videorecorder with removable 2.5" HDD (HDD not included)	28 521,00 Kč	34 225,00 Kč
DN-500	Next generation Harddrive Recorder. Record direct to either HDV (*.m2t) or DN-500 is the 1U rackmountversion of DN-400. Removable 2.5 HDD (HDD not included). 1 U high 19", including FC-1 DV conversion software	28 521,00 Kč	34 225,00 Kč
HDR-40	HDR-40 Harddrive recorder /player with removable 2.5" HDD (HDD not included)	39 217,00 Kč	47 060,00 Kč
HDR-50	HDR-50 Harddrive recorder with removable 2.5" HDD (HDD not included) 1 U high 19"	39 217,00 Kč	47 060,00 Kč
TLM-170MD	Již se nevyrábí High Quality reference monitor designed to assist as program monitor during production. HD/ SD-SDI, YUV, Y/C (S-video) and Composite video connections.	37 416,00 Kč	44 899,00 Kč
TLM-170M	Již se nevyrábí	32 069,00 Kč	38 483,00 Kč
TLM-170D	Již se nevyrábí	32 069,00 Kč	38 483,00 Kč
TLM-170	Již se nevyrábí	26 721,00 Kč	32 065,00 Kč
TLM-170HR	TLM-170HR 17,3 inch TFT LCD monitor 7U RACKMOUNT LED Backlight, HD-SDI input	37 434,00 Kč	44 921,00 Kč

Kód:	Popis:	MOC bez DPH:	MOC s DPH:
TLM-170H	TLM-170H 17,3 inch TFT LCD monitor desktop HD-SDI LED Backlight, HD-SDI input, NOVINKA	35 206,00 Kč	42 247,00 Kč
TLM-170HM	TLM-170HM 17,3 inch TFT LCD monitor 1U rack tray LED Backlight, HD-SDI input	45 634,00 Kč	54 761,00 Kč
TLM-404H	High Quality 4x 4", 4:3 ratio LCD/TFT monitor system. Resolution now: 960 x 234. View angle \$1,199.00	24 867,00 Kč	29 840,00 Kč
TLM-433	High Quality 3x 4,3", 16:9 ratio LCD/TFT monitor system. 4:3 ratio compatible. Panel resolution 480x270 pixels. View angle =(V)+40/-60, (H)+60/-60 degrees. Auto PAL/	20 678,00 Kč	24 814,00 Kč
TLM-433H	High Quality 4x 4,3", 16:9 ratio LCD/TFT monitor system. 4:3 ratio compatible. Input: HD/SD SDI, HDMI, output: loop Through	49 734,00 Kč	59 681,00 Kč
TLM-700	High Quality 7", 16:9 ratio LCD/TFT monitor. 4:3 ratio compatible. Panel resolution: 480x234 pixels. View angle (V) +40/-60, (H) +60/-60 degrees. Auto PAL/ NTSC detection.	8 022,00 Kč	9 626,00 Kč
TLM-700HD	High Quality 7", 16:9 ratio LCD/TFT monitor. 4:3 ratio compatible. Panel resolution: 800x480 dots. HD/SD -SDI, YUV, CV and HDMI input	17 380,00 Kč	20 856,00 Kč
TLM-700PD	7" 16:9 HD Monitor with Industrial Grade Panel Specification is similar to TLM-700HD but panel lifetime is 50000 hours (HD panel max 10000 hours)	19 519,00 Kč	23 423,00 Kč
TLM-702	As TLM-700, but now as 19" rackmountable double monitor system. 3U.	15 865,00 Kč	19 038,00 Kč
TLM-702HD	2 x 7" 16:9 Wide Screen Monitors in 19" Rack Mount with 90 degree tilt Blue Only Function, Brightness, Contrast & Colour Adjustment (& Tint NTSC only). Colour Bars	30 215,00 Kč	36 258,00 Kč
TLM-702PD	2 x 7" 16:9 HD Monitor with Industrial Grade Panel in 19" Rack Mount with 90 degree tilt Specification is similar to TLM-702HD but panel lifetime is 50000 hours (HD panel max 10000 hours)	33 869,00 Kč	40 643,00 Kč
TLM-433JF	Universal Desktop Stand / Holder suitable for: SE-800 + TLM-404 & TLM-702 (or single monitor) with or without ITC-100 SE-1000 + 1 or 2 x TLM-433 with or without ITC-100	2 834,00 Kč	3 401,00 Kč
TLM-702JF	Desktop stand / holder for TLM-702 when used with SE-500 Heavy Duty metal construction	1 765,00 Kč	2 118,00 Kč
BH-05	Ball & Socket Head to mount TLM-350, TLM-700 or TLM -70D monitor on cameras.	873,00 Kč	1 048,00 Kč
HRS-10	HRS10 DN-400 with TLM-700 built in to a handcarrying case. field monitoring set Bag including mounting rack and connecting cable	40 910,00 Kč	49 092,00 Kč
HRS-10HD	HRS-10 HDR-40 with TLM-700HD in field montior bag Including carrying bag, metal frame and connecting cable.	59 717,00 Kč	71 660,00 Kč
HRS-10BBSD/PD	Barebone system to produce own system. For those who already own datavideo recorder and/ or monitor. \$370,00	6 596,00 Kč	7 915,00 Kč
HRS-10BBHD	Barebone system to produce own system. For those who already own datavideo recorder and/or monitor. including HD Cable and TLM-700HD FRAME	6 596,00 Kč	7 915,00 Kč
MP-1000	ersatile digital media player with LAN and internet connectivty. Including CF card and server software Updated by network connection. DVD quality content can be scheduled	8 022,00 Kč	9 626,00 Kč
DVK-200	High Quality Chromakey unit. 2 Video inputs (CV & Y/C) for foreground and 1 input (CV & Y/C) for background. Brightness, Contrast, Saturation & Tint (NTSC	24 956,00 Kč	29 947,00 Kč
CKL-300/72	Set of light ring LD-1/72 mm and Reflection Fabric RF-1025 3 pcs. (Flame retardant) in progress	24 814,00 Kč	29 777,00 Kč
CKL-300/82	Set of light ring LD-1/82 mm and Reflection Fabric RF-1025 3 pcs. (Flame retardant) in progress	24 867,00 Kč	29 840,00 Kč
LD-1/82	Green/ Blue LED light-ring including controlbox with power supply. Light ring is switchable from Blue to Green (either manually, or via GPI from DVK-100)	8 895,00 Kč	10 674,00 Kč

Kód:	Popis:	MOC bez DPH:	MOC s DPH:
LD-1/72	Green/ Blue LED light-ring including controlbox with power supply. Light ring is switchable from Blue to Green (either manually, or via GPI from DVK-100)	8 895,00 Kč	10 674,00 Kč
TP-100	Smart Phone Teleprompter for Apple iPod Portable Teleprompting Solution utilizing your Apple iPod Touch or iPhone (+ most Adroid Phones Q2 2011)	7 113,00 Kč	8 536,00 Kč
FT-901	Background stand for use with Reflection fabric comprising 2x tripods and 1 cross bar.	3 191,00 Kč	3 829,00 Kč
TP-200	iPad teleprompter, iPad can be mounted either in the traditional way using the included camera and tripod support rails, hood and beam splitter glass, or under the lens for use with retro-reflective light. Suitable for most	8 895,00 Kč	10 674,00 Kč
ITC-100	Full duplex intercom/ talkback system (max. 8 ch). Includes base station, gooseneck mic. and light for base station, 4x ITC100 SL Belt Pack (see ITC-100 SL for more details)	21 373,00 Kč	25 648,00 Kč
ITC-100SL	Additional Belt pack kit for ITC-100. Contains: 1x ITC-100SL Beltpack, 1x TD-1 tally light, 1x CB-7 1.2 M tally cable	3 547,00 Kč	4 256,00 Kč
RP-10	The SE-500 Sliding shelf. Custom built to hold the SE-500 Total height with mixer: 2U	5 330,00 Kč	6 396,00 Kč
PD-1	Power Center for Mobile Video Studio. Features AC/DC input + AC/DC output (AC out only with AC in). 10 x DC outputs (XLR + Locking 5.5 mm)	13 369,00 Kč	16 043,00 Kč
PD-2	Safety power supply with spare for for Mobile Video Studio.	17 826,00 Kč	21 391,00 Kč
PD-3	Universal power distribution centre with 8 power outlets. Each outlet can be configured as DC25V, 18V, 14,4V & 12V. max power consumption 360 Watts.	24 956,00 Kč	29 947,00 Kč
BAC-03	Balanced / Unbalanced audio converter Converts unbalanced phono/ RCA to balanced XLR audio connectors Can be used with DAC's or SE-800 Mixer/ switcher	4 011,00 Kč	4 813,00 Kč
DAC-7	Analog to SDI video converter in Tripod mount housing for easy use during shooting. DAC-7 converts Cvbs, S-video and YUV to standard defenition SDI (no	8 022,00 Kč	9 626,00 Kč
DAC-7L	Analog to SDI video converter (as DAC-7) but without tripod mount housing	7 576,00 Kč	9 091,00 Kč
DAC-8	SDI to HDMI converter	7 576,00 Kč	9 091,00 Kč
DAC-9	HDMI to HDSD-SDI Allows user to connect HDMI equipment to professional HD-SDI equipment like mixers and recorders up to 200 meter away.	7 576,00 Kč	9 091,00 Kč
DAC-50	HD/SD-SDI to component YUV converter & composite video signal converter with built in UP/DOWN SCALING	9 804,00 Kč	11 765,00 Kč
RP-1	Patch Panel to provide 4 Analogue YUV & composite video input connections for SE-800 1U	3 369,00 Kč	4 043,00 Kč
RP-4	Patch Panel with built in RMC-140 (for tally and Quad and Preview) and BAC-03 (see individual items for function description)	10 678,00 Kč	12 814,00 Kč
RP-6	Patch Panel to provide connection to ITC-100, SDI overlay in/out and SDI out of SE-800 8x 5 pin XLR connector for the ITC-100SL connecting, DB9 for tally input,	3 547,00 Kč	4 256,00 Kč
RP-21	MS-1000 patch panel. 5x HD-SDI input, 3x HD-SDI output (AUX,PW, and PGM) HD-YUV (PGM) and DVI input	4 260,00 Kč	5 112,00 Kč
DVM-2066	High Quality 20M IEEE1394/DV Cable. 6 Pin- 6 Pin (6P-4P Adapt available) 200mbps. Suitable for all DV / DVCAM.	2 105,00 Kč	2 526,00 Kč
DVM-1066	High Quality 10M IEEE1394/DV Cable. 6 Pin- 6 Pin (6P-4P Adapt available) 200mbps. Suitable for all DV / DVCAM.	1 680,00 Kč	2 016,00 Kč
CB-22-24	All in one cable for use with SD/HD MVS systems. 24AWG Includes connectors for Tally, Intercom, video and return video. Length: 30 meter	6 910,00 Kč	8 292,00 Kč

Kód:	Popis:	MOC bez DPH:	MOC s DPH:
CB-23-18	All in one cable for use with SD/HD MVS systems. 18 AWG Includes connectors for Tally, Intercom, video and return video. Length: 50 meter	10 099,00 Kč	12 119,00 Kč